



# SAFETY WITH INNOVATION

NON-METALLIC SERIES

## FEATURES

### STANDARDS:

CE EN ISO 20345:2007 SB/S1/S1P SRC

### UPPER:

Buffalo full grain printed leather

### LINING:

Olive cambrelle stay dry lining

### SAFETY TOE CAP:

Wide comfort composite safety toe cap meeting EN ISO 20345 – 200 J impact

### SOLE PLATE:

Non-metallic antiperforation sole plate meeting EN ISO 20345 – 1100N

### SOLE:

Dual density PU/PU outsole.

Midsole designed for comfort, outsole designed for performance.

### FOOTBED:

Thick comfort EVA breathable foot bed with abrasion resistance and absorption/desorption textile lining.

Replacement foot bed also made available for purchasing.

### SIZE:

Available in sizes UK 2 to UK 13.



K sole



Model: K-800

Low cut oxford lace up shoe



Model: K-807

Low cut slip on shoe



PSB TEST  
SS 513:2005



EN ISO 20345



IMPACT  
RESISTANT



PENETRATION  
RESISTANT



SLIP  
RESISTANT



OIL  
RESISTANT



ELECTRICAL  
HAZARD PREVENT



ABRASION  
RESISTANT



STATIC  
DISSIPATIVE

SAFETY BEGINS HERE.

[www.kprsafety.com](http://www.kprsafety.com)



# SAFETY WITH INNOVATION

NON-METALLIC SERIES

## FEATURES

### STANDARDS:

CE EN ISO 20345:2007 SB/S1/S1P SRC

### UPPER:

Buffalo full grain printed leather

### LINING:

Olive cambrelle stay dry lining

### SAFETY TOE CAP:

Wide comfort composite safety toe cap meeting EN ISO 20345 – 200 J impact

### SOLE PLATE:

Non-metallic antiperforation sole plate meeting EN ISO 20345 – 1100N

### SOLE:

Dual density PU/PU outsole.

Midsole designed for comfort, outsole designed for performance.

### FOOTBED:

Thick comfort EVA breathable foot bed with abrasion resistance and absorption/desorption textile lining.

Replacement foot bed also made available for purchasing.

### SIZE:

Available in sizes UK 5to UK 12.

UK 2-4, 13 available with special order.



K sole



Model: K-803

Mid cut lace up boot



Model: K-706

Mid cut elastic gore boot



Model: K-806

Mid cut zipper boot



PSB TEST  
SS 513:2005



EN ISO 20345



IMPACT  
RESISTANT



PENETRATION  
RESISTANT



SLIP  
RESISTANT



OIL  
RESISTANT



ELECTRICAL  
HAZARD PREVENT



ABRASION  
RESISTANT



STATIC  
DISSIPATIVE

SAFETY BEGINS HERE.

[www.kprsafety.com](http://www.kprsafety.com)



# SAFETY WITH INNOVATION

NON-METALLIC SERIES

## FEATURES

### STANDARDS:

CE EN ISO 20345:2007 SB/S1/S1P SRC

### UPPER:

Buffalo full grain printed leather

### LINING:

Black cambrelle stay dry lining

### SAFETY TOE CAP:

Wide comfort composite safety toe cap meeting EN ISO 20345 – 200 J impact

### SOLE PLATE:

Non-metallic antiperforation sole plate meeting EN ISO 20345 – 1100N

### SOLE:

Dual density PU/PU outsole.

Midsole designed for comfort, outsole designed for performance.

### FOOTBED:

Thick comfort EVA breathable foot bed with abrasion resistance and absorption/desorption textile lining.

Replacement foot bed also made available for purchasing.

### SIZE:

Available in sizes UK 5 to UK 12.

Sizes UK 2-4, 13 available with special order.



K sole



Model: K-805B

Mid cut rigger boot.



Model: K-805

Mid cut rigger boot.



PSB TEST  
SS 513:2005



EN ISO 20345



IMPACT  
RESISTANT



PENETRATION  
RESISTANT



SLIP  
RESISTANT



OIL  
RESISTANT



ELECTRICAL  
HAZARD PREVENT



ABRASION  
RESISTANT



STATIC  
DISSIPATIVE

SAFETY BEGINS HERE.

[www.kprsafety.com](http://www.kprsafety.com)